SUBMISSION REQUIREMENTS FOR URGENT REPAIR WORKS AND MINOR WATER SERVICE INSTALLATION (WSI) WORKS

Scope of Urgent Repair Works and Minor WSI Works:

S/N	Categories	Definition
1	Urgent Repair Works	Urgent repair works are for defective pipes and fittings inside premises only. It does not mean extension or addition of extra fittings to existing water service installation Generally, it shall cover the following: Repair pipe leaks and fittings. Repair water tank parts, pipes and fittings.
		Water heater leaking/ replacement.
2	Minor Water Service Installation (WSI) Works	 Adding new tap points whereby there is already an existing piping network in the premises; Laying new water pipes to draw hot water from an existing storage water heater; Re-routing existing water pipes due to obstructions such as washing machine, etc; Altering a water point for a washing machine or a dishwasher to the correct position of the appliance's inlet; and Re-locating an existing storage water heater.

Required documents for Urgent Repair Works and Minor WSI Works Submissions:

	Type of Works	Required Attachment
Urg	ent Repair	
1	Repair pipe leaks and fitting	 Cover Letter Photographs of before and after. Relevant schematics and technical drawings.
2	Repair water tank parts, pipes and fittings	 Cover Letter Photographs of before and after. Relevant schematics and technical drawings.
3	Water heater replacement/ leaking	 Cover Letter Photographs of before and after. Relevant schematics and technical drawings. LP Declaration on Effective Backflow or Back-Siphonage Prevention.
MIN	IOR WATER SERVICE	INSTALLATION (WSI) WORKS
4	Minor WSI Works	 Cover Letter Photographs of before and after. Relevant Schematics and technical drawings.

Good Practice Guide for Photographs

- Capture clear, well-lit images from different angles of the damaged or defective areas, focusing on the specific points before any repair work begins.
- Maintain consistency in the framing and orientation of the photographs to facilitate comparison of before and after work completion.
- Mark up defective parts and parts to be replaced in red and provide label remarks on the photographs with relevant details.

Photograph Attachment Guide Template

Project Title: Description of the work and action taken: Remarks, if any:	CERTIFIED PLUMBER LP endorsement and Date
Photographs Before	Photographs After

Schematic Attachment Guide Template

Description of the work and action taken:	CERTIFIED PLUMBER
Remarks, if any:.	CER 18 838WN7d U3HHHF33
	LP endorsement and Date
	*Include LP Declaration for Water
	Heater Fittings, if there is Water Storage Heater Installation.

Sample: Photograph Attachment Guide Template

Project Title: Replacement of Water Heater


Description of the work and action taken: The works involved in replacing a water heater includes disconnecting the old unit, installing the new heater, and ensuring proper connections and functionality as per manufacturer and regulatory requirements.

Remarks, if any: Completed on 9 August 2024.










Photographs After

Sample: Schematic Attachment Guide Template

Project Title: Replace corroded and leaking pipe

Description of the work and action taken: The work involved in repairing a pipe includes locating the corroded and damaged section, assessing the extent of the damage, and implementing the necessary repairs to restore functionality.

Results and remarks, if any: Completed on 9 August 2024.





LP endorsement and Date

*Include LP Declaration for Water Heater Fittings, if there is Water Storage Heater Installation.